

**SECTION 1 IDENTIFICATION**

**Product Trade Name:** Liquifresh  
**Recommended Use:** Deodorizer and freshener  
**Restrictions on Use:** For Industrial and Institutional use only  
**Manufacturer:** Maxim Technologies Inc.  
 1607 Derwent Way, Delta, BC, V3M 6K8, Canada  
 800-663-9925  
**Emergency Phone Number:** Canada: Canutec 613-996-6666  
 U.S.A.: Chemtrec 800-424-9300

**SECTION 2 HAZARD IDENTIFICATION**

**Physical Hazards:** FLAMMABLE LIQUIDS - Category 3  
**Health Hazards:** SKIN CORROSION/IRRITATION - Category 2  
 EYE DAMAGE/IRRITATION - Category 1

**Label Elements:**



**Signal word:** Danger  
**Hazard Statement:** H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H226 Flammable liquid and vapour.

**Precautionary Statements:**

**Prevention:** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243 Take action to prevent static discharges.

P264 Wash hands or affected area thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

**Responses:** P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P370 + P378 In case of fire: Use water fog, alcohol foam or dry chemical to extinguish.

P321 Specific treatment (see supplemental first aid information on this label).

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

**Storage:** P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

**SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient	Approx. Wt.%	CAS Number
Isopropyl Alcohol	5	67-63-0
Blend of aliphatic alcohols and esters, and of aromatic aldehydes and esters	3	N/A
Alcohol Ethoxylate	4	68439-46-3

**SECTION 4 FIRST-AID MEASURES**

**Inhalation:** Immediately remove the affected victim to fresh air. If symptoms persist, obtain medical attention.

**Skin Contact:** Flood area with cool water for at least 20 minutes or until help arrives. Make sure water doesn't flow onto another part of the person's body or onto you. Don't use a strong stream of water, if possible. As you flush the burn (not before), remove jewelry or articles of clothing with chemical on them, unless they're stuck to the person's body. Don't try to neutralize the burn with acid or alkali. This could cause a chemical reaction that worsens the burn. Don't put antibiotic ointment on the burn.

- Eye Contact:** Have the person immediately rinse the eye or eyes under a faucet, in a gentle shower, or with a clean container of water. Keep the person's face so that the injured eye is down and to the side. Avoid spraying a high-pressure water stream into the eye or eyes. Flush with lukewarm water for 15 to 30 minutes. For severe burns, continue flushing until you see a doctor or you arrive in an emergency room. The person should keep the eye open as wide as possible. Wash the person's hands thoroughly to make sure no chemical is still on them. Flush the eye to remove contact lenses. If they do not come out, try to gently remove them AFTER flushing. Do not rub the eye or place a bandage over the eye. While waiting for medical care, have the person wear sunglasses to decrease light sensitivity.
- Ingestion:** Do not induce vomiting. If the victim is fully conscious, give plenty of clean water to drink to dilute product. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness, or is convulsing. Call a Physician.

### SECTION 5 FIRE-FIGHTING MEASURES

- Extinguishing Media:** Water fog, alcohol foam, or dry chemical.
- Flammability:** Flammable liquid and vapor.
- Flash Point:** 51°C Pinsky Martens Closed Cup.
- Special Firefighting Procedures:** Wear NIOSH/MSHA approved, self-contained breathing apparatus for firefighting situation. Use water spray to cool all nearby fire exposed surfaces.
- Unusual Fire / Explosion Hazards:** Avoid heat, flames and sparks. Avoid contact with aldehydes, halogens, strong acids, strong oxidizing agents, alkalis, amines, ethylene oxide, halogenated hydrocarbons, isocyanates, do not use with aluminum equipment at temperatures above 50°C (120°F)
- Hazardous Decomposition Products:** Carbon dioxide, carbon monoxide.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

- Environmental Protection Precautions:** Do not release to the environment or water source.
- Steps To Be Taken In Case Material Is Released Or Spilled:** Wear protective equipment. Soak up spills with absorbents, then dispose of in an appropriate waste container. Keep material away from sewers. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

### SECTION 7 HANDLING AND STORAGE

- Precautions To Be Taken In Handling And Storage:** Use good industrial hygiene. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing sprays or mists. Store in a cool, dry place away from incompatibles. Keep container closed when not in use. Do not mix with any other chemicals. Store at temperatures below 30°C (86°F) and keep from freezing. Do not store in aluminum, copper, copper alloys and galvanized containers.

### SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

- Exposure Limits:**  
 OSHA (PEL): N/A  
 ACGIH TLV: N/A  
 Other exposure limit: N/A
- Appropriate Engineering Controls:** Good general ventilation.
- Individual Protection Measures / Personal Protective Equipment:**
- Gloves:** Non-permeable gloves (rubber, nitrile) recommended.
- Masks/Goggles:** Use chemical goggles or safety glasses when eye contact may occur.
- Respirator:** Good general ventilation or local exhaust ventilation for spraying and misting in confined areas.
- Apron:** Not required for normal use of product.
- Boots:** Not required for normal use of product.
- Other Protective Equipment:** Eye wash, safety shower and full protective clothing recommended in the immediate work area.

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	Dark pink liquid.
Odor:	Cherry scent.
Odor threshold:	N/A
pH:	5.5 – 6.5
Melting point/Freezing point:	N/A
Initial boiling point and boiling range:	N/A
Flash Point:	51 °C (Pensky Martens Closed Cup)
Evaporation Rate (Water=1):	N/A
Flammability:	Flammable liquid and vapour
Upper/Lower flammability or explosive limits:	None.
Vapor pressure:	N/A
Vapor density:	N/A
Relative density/Specific gravity (Water = 1):	0.99 @ 20 °C
Solubility(ies):	Soluble in water
Partition coefficient: n-octanol/water :	N/A
Auto-ignition temperature :	N/A
Decomposition temperature:	N/A
Viscosity:	N/A

**SECTION 10 STABILITY AND REACTIVITY**

Chemical stability:	Stable under normal storage conditions.
Possibility of hazardous reactions:	This product is flammable.
Conditions to avoid:	Avoid heat, flames and sparks. Do not use with aluminum equipment at temperatures above 50°C (120 °F)
Incompatibility:	Avoid contact with Aldehydes, halogens, strong acids, strong oxidizing agents, alkalis, amines, ethylene oxide, halogenated hydrocarbons and isocyanates.
Hazardous Decomposition Products:	Oxides of carbon.

**SECTION 11 TOXICOLOGICAL INFORMATION**

Likely routes of exposure:	Ingestion, skin and eye contact.
Symptoms:	Irritation to eyes and skin.
Acute Toxicity Estimates:	(oral) >2000 mg/kg, (dermal) >2000 mg/kg
Carcinogenicity:	Not listed by NTP, IARC, OSHA, ACGIH.

**SECTION 12 ECOLOGICAL INFORMATION**

N/A

**SECTION 13 DISPOSAL CONSIDERATIONS**

**Recommended Waste Disposal Methods:** Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

**SECTION 14 TRANSPORT INFORMATION**

Canadian TDG:	
UN Number:	1993 (Limited Quantity if <5L)
UN Proper Shipping Name :	Flammable Liquid, N.O.S. (Isopropyl alcohol)
Transport Hazard Class(es) :	3
Packing Group :	III

<b>SECTION 15 REGULATORY INFORMATION</b>
--

**HAZARD RATING INFORMATION**

4=Extreme  
 3=High  
 2=Moderate  
 1=Slight  
 0=Insignificant

**HMIS**

1	Health
2	Flammability
0	Reactivity
B	Personal

A=Gloves, B=Goggles &amp; Gloves

C=Goggles, Gloves and Apron

**HMIS Protection  
 Group B**



None of the other components in this mixture contribute significantly to the hazards associated with this component. All pertinent hazard information has been provided in this SDS, per the requirements of the U.S. Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and the Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).

<b>SECTION 16 OTHER INFORMATION</b>
-------------------------------------

**Acronym List:**

ACGIH	American Conference of Governmental Industrial Hygienists
CFR	Code of Federal Regulations
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
MSHA	Mine Safety and Health Administration
N/A	Not Available
NIOSH	The National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
TDG	Transportation of Dangerous Goods
TLV	Threshold Limit Value
UN	United Nations
WHMIS	Workplace Hazardous Materials Information System

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. **Maxim Technologies Inc.** will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.

PREPARED BY: Technical Service/Regulatory Division

LAST UPDATE: May 15, 2017