

SECTION 1 IDENTIFICATION

Product Trade Name: Max Soft
Recommended Use: Laundry softener
Restrictions on Use: Industrial, Institutional and Food Plant use only
Manufacturer: Maxim Technologies Inc.
 1607 Derwent Way, Delta, BC, V3M 6K8, Canada
 800-663-9925
Emergency Phone Number: Canada: Canutec 613-996-6666
 U.S.A.: Chemtrec 800-424-9300

SECTION 2 HAZARD IDENTIFICATION

Physical Hazards: None
Health Hazards: SKIN CORROSION/IRRITATION - Category 2
 EYE DAMAGE/IRRITATION - Category 2A

Label Elements:



Signal word: Warning
Hazard Statement: H315 Causes skin irritation.
 H319 Causes serious eye irritation.

Precautionary Statements:

Prevention: P264 Wash hands or affected area thoroughly after handling.
 P280 Wear protective gloves/ eye protection/ face protection.
Responses: P302 + P352 IF ON SKIN: Wash with plenty of water.
 P321 Specific treatment (see supplemental first aid information on this label).
 P332 + P313 If skin irritation occurs: Get medical advice/attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 If eye irritation persists: Get medical advice/attention.
Storage: Not regulated. Store in a cool, dry place. Keep container tightly closed. Keep out of reach of children.
Disposal: Not regulated. Dispose of contents/ container to an approved waste disposal plant.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient | Approx. Wt.% | CAS Number |
|---|--------------|------------|
| Tallow Amido Imidazolinum Methosulphate | 11 | 68122-86-1 |
| Isopropanol | 3 | 67-63-0 |

SECTION 4 FIRST-AID MEASURES

Inhalation: Immediately remove the affected victim to fresh air. If symptoms persist, obtain medical attention.
Skin Contact: Immediately flush exposed area with soap and water for at least 10 minutes. If irritation persists, or if contact has been prolonged, obtain medical attention. Remove contaminated clothing and launder before reuse.
Eye Contact: Immediately flush with warm running water for at least 15 minutes, holding eyelids open during flushing. Remove contact lenses, if present and easy to do. If irritation persists, repeat flushing and obtain medical attention immediately.
Ingestion: Do not induce vomiting. If the victim is fully conscious, give plenty of clean water to drink to dilute product. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness, or is convulsing. Call a Physician.

SECTION 5 FIRE-FIGHTING MEASURES

| | |
|--|--|
| Extinguishing Media: | Water fog, alcohol foam, or dry chemical. |
| Flammability: | Not flammable. |
| Flash Point: | Not flammable. |
| Special Firefighting Procedures: | Directing a solid stream of water into a hot burning liquid can cause frothing and spread the fire. Wear NIOSH/MSHA approved, self-contained breathing apparatus for firefighting situation. Use water spray to cool all nearby fire exposed surfaces. |
| Unusual Fire / Explosion Hazards: | Mixture may form explosive mixtures with air. |
| Hazardous Decomposition Products: | Carbon oxides, sodium oxides. |

SECTION 6 ACCIDENTAL RELEASE MEASURES

Environmental Protection Precautions: Do not release to the environment or water source.

Steps To Be Taken In Case Material Is Released Or Spilled: Wear protective equipment. Soak up spills with absorbents, then dispose of in an appropriate waste container. Keep material away from sewers. Dispose recovered material in accordance with all local, State or Federal regulations.

SECTION 7 HANDLING AND STORAGE

Precautions To Be Taken In Handling And Storage: Use good industrial hygiene. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing sprays or mists. Store in a cool, dry place away from incompatibles. Keep container closed when not in use. Keep out of reach of children. Store at temperatures below 30°C (86°F) and above 5°C (41°F).

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

OSHA (PEL): N/A

ACGIH TLV: N/A

Other exposure limit: N/A

Appropriate Engineering Controls: Good general ventilation.

Individual Protection Measures / Personal Protective Equipment:

Gloves: Non-permeable gloves (rubber, nitrile) recommended.

Masks/Goggles: Normally not required. Chemical goggles or safety glasses if eye contact may occur.

Respirator: Good general ventilation or local exhaust ventilation for spraying and misting in confined areas.

Apron: Not required for normal use of product.

Boots: Not required for normal use of product.

Other Protective Equipment: Eye wash, safety shower and full protective clothing recommended in the immediate work area.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|-----------------------|
| Appearance: | Opaque, green liquid. |
| Odor: | Fresh scent. |
| Odor threshold: | N/A |
| pH: | 4.0 – 5.0 |
| Melting point/Freezing point: | N/A |
| Initial boiling point and boiling range: | N/A |
| Flash Point: | >100 °C |
| Evaporation Rate (Water=1): | N/A |
| Flammability: | Not flammable |
| Upper/Lower flammability or explosive limits: | None. |

| | |
|--|------------------|
| Vapor pressure: | N/A |
| Vapor density: | N/A |
| Relative density/Specific gravity (Water = 1): | 1.0 @ 20 °C |
| Solubility(ies): | Soluble in water |
| Partition coefficient: n-octanol/water: | N/A |
| Auto-ignition temperature: | Not flammable |
| Decomposition temperature: | N/A |
| Viscosity: | <50cP @ 20 °C |

SECTION 10 STABILITY AND REACTIVITY

| | |
|-------------------------------------|--|
| Reactivity: | N/A |
| Chemical stability: | Stable under normal storage conditions. |
| Possibility of hazardous reactions: | N/A |
| Conditions to avoid: | Temperatures above 30°C (86°F) and below 5°C (41°F). |
| Incompatibility: | Strong oxidizing agents and strong acids. |
| Hazardous Decomposition Products: | Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous thermal decomposition products include but not limited to carbon oxides, and sodium oxides. |

SECTION 11 TOXICOLOGICAL INFORMATION

| | |
|----------------------------|---|
| Likely routes of exposure: | Ingestion, skin and eye contact. |
| Symptoms: | Causes serious eye and skin irritation. |
| Acute Toxicity Estimates: | Oral >2000 mg/kg, dermal >2000 mg/kg |
| Carcinogenicity: | Not listed by NTP, IARC, OSHA, ACGIH. |

SECTION 12 ECOLOGICAL INFORMATION

N/A

SECTION 13 DISPOSAL CONSIDERATIONS

Recommended Waste Disposal Methods: Reuse if possible. Otherwise dispose recovered material in accordance with all local, State or Federal regulations.

SECTION 14 TRANSPORT INFORMATION

This product is classified as "Non-flammable, Non-hazardous, Not Restricted" for Transport purposes.

Canadian TDG

| | |
|-----------------------------|----------------|
| UN Number: | Not regulated. |
| UN Proper Shipping Name: | Not regulated. |
| Transport Hazard Class(es): | Not regulated. |
| Packing Group: | Not regulated. |

SECTION 15 REGULATORY INFORMATION

HAZARD RATING INFORMATION


4=Extreme
3=High
2=Moderate
1=Slight
0=Insignificant

HMIS

| | |
|---|--------------|
| 1 | Health |
| 0 | Flammability |
| 0 | Reactivity |
| B | Personal |

A=Gloves, B=Goggles & Gloves
C=Goggles, Gloves and Apron

HMIS Protection
Group B



All pertinent hazard information has been provided in this SDS, per the requirements of the U.S. Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and the Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).

SECTION 16 OTHER INFORMATION

Acronym List:

| | |
|-------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CFR | Code of Federal Regulations |
| HMIS | Hazardous Materials Identification System |
| IARC | International Agency for Research on Cancer |
| MSHA | Mine Safety and Health Administration |
| N/A | Not Available |
| NIOSH | The National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| TDG | Transportation of Dangerous Goods |
| TLV | Threshold Limit Value |
| UN | United Nations |
| WHMIS | Workplace Hazardous Materials Information System |

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. **Maxim Technologies Inc.** will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.

PREPARED BY: Technical Service/Regulatory Division

LAST UPDATE: May 29, 2017